
Ground Anchor Installation Guide

X8R0356



2026 | © X8R.CO.UK

Component list



1 Ground Anchor



2 Securing Pins


2026 | © X8R.CO.UK

Step 1:

Locating Ground Anchor



Begin by preparing a hole deep enough for the ground anchor, and wide enough for the securing pins.



The hole should be anywhere between 23-30cm.

This should have approximately 5cm base of concrete.

The anchor should be submerged anywhere between 18-25cm deep, depending on how much you would like the anchor to protrude, while remaining secure.

2026 | © X8R.CO.UK

Step 2:

Placing Ground Anchor



Place the anchor with the securing pins into the hole.

Before the following step: Ensure the Anchor protrudes to the desired height, while keeping the securing pins fully submerged.

2026 | © X8R.CO.UK

Step 3:

Filling With Cement



Fill the hole with cement.

Cement not included, follow directions from your cement provider, or seek professional installation.

2026 | © X8R.CO.UK

Step 4:

Finishing Ground Anchor




Finish the cement smoothly, allowing appropriate time for it to set before use.

Follow directions from cement provider for best results.

Finished Product:

X8R0356 Ground Anchor



Once the cement has set, your anchor is ready for use!

FOR A CHANCE TO BE FEATURED ON OUR PAGE

TAG US ON SOCIAL MEDIA!

The information provided is for general guidance only. We are not liable for any injury, damage, or loss resulting from the use or misuse of this information.

2026 | © X8R.CO.UK